

27 July 2018

Optimising energy use to increase pasture production

lain Bruce



Agronomic overview

- Power price agreement set?
 - Focus on the production outcomes.
- Why: Control costs by increasing production
 - Local examples
- How: Measure, monitor and visualise
 - Identify the variables
- Off-peak vs shoulder
 - Can using cheaper power cost you money?






The green drought

Average ETc = 4.3mm/d - therefore required 200mm rainfall plus irrigation to replace water used. Rainfall plus irrigation was 191mm – so similar to requirements, but the timing was wrong

Delayed start up of irrigation after rain led to a soil moisture deficit dropping below the refill point.
Scheduling of irrigation events was not adequate to correct this deficit leading to the green drought phenomena





Source: Dr James Hills, TIA
National Smarter Irrigation for Profit Project
Dairy Aust, TIA, Federal Government





Why — lost production

60 days x 30 kgDM/d x 40 ha

= 72,000kg of DM foregone

72,000kg @ \$200/t

= \$14,400 or \$360/ha





How — theory

- You need to know:
 - **Evapotranspiration rate**
 - Soil water holding capacity

Soil water level at a point in time (RAW)

Irrigation system capacity 4.













Soil water bank

- Soil only holds so much water → soil type.
- Water in soil is money in the bank.
- Capacity of this bank determines the maximum application/input amount.
- Irrigation is putting money into bank.
- Evapotranspiration is taking money out.
- It is important to always know your current bank balance!





How — practice













Current water in soil







Current water in soil








Off-peak vs shoulder

60d x 30kgDM/d x 40ha=72,000kg of DM lost

8mm/day pack

30mm per week req
 = 4.25mm/day







Off-peak vs Shoulder

Power costs

Irrigation – time of use Tariff 75

	Inc. GST	Ex. GST
Daily supply charges	279.809 ¢/ day	254.37 ¢/ day
Peak energy	30.409 ¢/ kWh	27.645 ¢/ kWh
Shoulder energy	22.144 ¢/ kWh	20.131 ¢/ kWh
Off-peak energy	13.837 ¢/ kWh	12.579 ¢/ kWh

Source: James Curran, Macquarie Franklin





Off-peak vs shoulder

	Off-peak	Shoulder
Mon-Fri	9hrs = 3mm	13.3hrs = 4.4mm
Sat-Sun	24hrs = 8mm	13.3hrs = 4.4mm
Total applied	31mm	31mm
Total hours	93	93 (21 shoulder)
\$/hour	\$4	\$4.52
Weekly cost	\$372	\$420

Weekly difference \$48 = \$1.20/ha/week





Off-peak vs shoulder

- 60-day shoulder irrigation extra cost
 - = \$10.30/ha
 - = \$412

- 60 days x 30kgDM/d x 40ha
 - = 72,000kg of DM foregone
 - = \$14,400 or \$360/ha





Top three take home messages

1. Know your soil water bank balance, input requirement and your capacity.

2. Live information is key.

3. Power cost << lost production cost.





Tools, resources and training

- 1. System capacity
- 2. Soil capacity
- 3. Usage rate
- 4. Live data







27 July 2018

Optimising energy use to increase pasture production

lain Bruce

